

Reference List

PATTERNS OF SPECIES DIVERSITY, SURVEY METHODS, AND SPECIES INVENTORIES

- Alaback, P. B. Biodiversity patterns in relation to climate: The coastal temperate rainforests of North America. Lawford, R. G.; Alaback, P. B., and Fuentes, E. High-latitude Rainforests and Associated Ecosystems of the West Coast of the Americas. New York: Springer; 1994; pp. 105-133.
- Altaba, C. R. Counting species names. *Nature*. 1996; 380:488.
- Amann, R. Who is out there? Microbial Aspects of Biodiversity. *SYSTEMATIC AND APPLIED MICROBIOLOGY*. 2000; 23(1):1-8 / 8; ISSN: ISI:000087043200001.
- Anderson, A. N. Measuring more of biodiversity: Genus richness as a surrogate for species richness in Australian ant faunas. *Biological Conservation*. 1995; 73(1):39-44.
- Anderson, J. E. A conceptual framework for evaluating and quantifying naturalness. *Conservation Biology*. 1991; 5:347-352.
- Angermeier, P. L. and Karr, J. R. Biological integrity versus biological diversity as policy directives - Protecting biotic resources. *BioScience*. 1994; 44(10):690-697.
- [Anon]. Ambitious biodiversity inventory in Great Smoky Mountains. *ORYX*. 2000; 34(1):76-76 / 1; ISSN: ISI:000085366300018.
- Ashton, P. Species richness in tropical forests. Holm-Nielsen, L.; Nielsen, I., and Balslev, H. *Tropical Forests: Botanical Dynamics, Speciation, and Diversity*. London: Academic Press; 1989; pp. 239-251.
- Atkinson, I. A. E. Ecological measures for conserving terrestrial biodiversity: A New Zealand perspective. Forey, P. L.; Humphries, C. J., and Vane-Wright, R. I. *Systematics and Conservation Evaluation*. Oxford, UK: Oxford University Press; 1994.
- Austin, M. P. Continuum concept, ordination methods and niche theory. *Annual Review of Ecology and Systematics*. 1985; 16:39-61.
- . Models for analysis of species response to environmental gradients. *Vegetatio*. 1987; 69:35-45.
- . Vegetation: Data collection and analysis. Margules, C. R. and Austin, M. P. *Nature Conservation: Cost Effective Biological Surveys and Data Analysis*. Melbourne: CSIRO; 1991.
- . Vegetation theory in relation to cost-efficient surveys. Margules, C. R. and Austin, M. P. *Nature Conservation: Cost Effective Biological Surveys and Data Analysis*. CSIRO; 1991; pp. 17-22.
- Austin, M. P. and Adomeit, E. M. Sampling strategies costed by simulation. Margules, C. R. and Austin, M. P. *Nature Conservation: Cost Effective Biological Surveys and Data Analysis*. Canberra: CSIRO; 1991; pp. 167-175.
- Austin, M. P.; Cunningham, R. B., and Flemming, P. M. New approaches to direct gradient analysis using environmental scalars and statistical curve-fitting procedures. *Vegetatio*. 1984; 55:11-27.
- Austin, M. P. and Heyligers, P. C. New approach to vegetation survey design: Gradsect sampling. Margules, C. R. and Austin, M. P. *Nature Conservation: Cost Effective Biological Surveys and Data Analysis*. Melbourne, Australia: CSIRO; 1991.

- . Vegetation survey design for conservation: Gradsect sampling of forests in North-Eastern New South Wales. *Biological Conservation*. 1989; 5013-32.
- Austin, M. P. and Margules, C. R. Assessing representativeness. Usher, M. B. *Wildlife Conservation Evaluation*. London: Chapman and Hall; 1986.
- Austin, M. P.; Nicholls, A. O., and Margules, C. R. Measurement of the realized qualitative niche: Environmental niches of five *Eucalyptus* species. *Ecological Monographs*. 1990; 60(2):161-177.
- Austin, M. P. and Smith, T. M. A new model for the continuum concept. *Vegetatio*. 1989; 8335-47.
- Ayyappan, N. Parthasarathy N. Biodiversity inventory of trees in a large-scale permanent plot of tropical evergreen forest at Varagalaiar, Anamalais, Western Ghats, India. *BIODIVERSITY AND CONSERVATION*. 1999; 8(11):1533-1554 / 22; ISSN: ISI:000083549200007.
- Bachmann, P. Kohl M. and Paivinen R. editors. Assessment of biodiversity for improved forest planning. Boston: Kluwer Academic. *Forestry Sciences* vol. 51; *European Forest Institute Proceedings* no. 18. 421 pp.; 1998.
- Balmford, A Gaston KJ. Why biodiversity surveys are good value. *NATURE*. 1999; 398(6724):204-205 / 2; ISSN: ISI:000079228400034.
- Barnes, R. D. Diversity of organisms: How much do we know? *American Zoology*. 1989; 291075-1084.
- Bartlett, R. Pickering JGauld IWindsor D. Estimating global biodiversity: tropical beetles and wasps send different signals. *ECOLOGICAL ENTOMOLOGY*. 1999; 24(1):118-121 / 4; ISSN: ISI:000078884500015.
- Basset, Y.; Novotny, V.; Miller, S. E., and Springate, N. D. Assessing the impact of forest disturbance on tropical invertebrates: some comments. *Journal of Applied Ecology*. 1998; 35(3)461-466.
- Beccaloni, G. W. and Gaston, K. J. Predicting the species richness of neotropical forest butterflies: Ithomiinae (Lepidoptera: Nymphalidae) as indicators. *Biological Conservation*. 1995; 71(1):77-86.
- Beissinger, S. R.; Steadman, E. C.; Wohlgenant, T.; Blate, G., and Zack, S. Null models for assessing ecosystem conservation priorities: Threatened birds as titers of threatened ecosystems in South America. *Conservation Biology*. 1996; 10(5):1343-1352.
- Belbin, L. The analysis of pattern in bio-survey data. Margules, C. R. and Austin, M. P. *Nature Conservation: Cost Effective Biological Surveys and Data Analysis*. Australia: CSIRO; 1991; pp. 176-190.
- . Environmental representativeness, regional partitioning and reserve selection. *Biological Conservation*. 1993; 66223-230.
- Belbin, L. and Austin, M. P. ECOSIM: A simulation model for training in cost-effective survey methods. Margules, C. R. and Austin, M. P. *Nature Conservation: Cost Effective Biological Surveys and Data Analysis*. Australia: CSIRO; 1991; pp. 159-164.
- Berg, A. and Tjernberg, M. Common and rare Swedish vertebrates - Distribution and habitat preferences. *Biodiversity and Conservation*. 1996; 5(1):101-128.
- Bisby, F. A.; Russell, G. F., and Pankhurst, R. J. *Designs for a Global Plant Species Information System*. 1994.
- Blackburn, T. M. and Gaston, K. J. Spatial patterns in the species richness of birds in the New World. *Ecography*. 1996; 19(4):369-376.

- Block, W. M.; Brennan, L. A., and Gutierrez, R. J. Evaluation of guild-indicator species for use in resource management. *Environmental Management*. 1987; 11:265-269.
- Block, W. M.; Morrison, M. L.; Verner, J., and Manley, P. N. Assessing wildlife-habitat relationships models: A case study with California oak woodlands. *Wildlife Society Bulletin*. 1994; 22:549-561.
- Bond, W. J. Describing and conserving biotic diversity. Huntley, B. J. *Biotic Diversity in Southern Africa: Concepts and Conservation*. Cape Town: Oxford University Press; 1989; pp. 2-18.
- Boulinier, T.; Nichols, J. D.; Sauer, J. R.; Hines, J. E., and Pollock, K. H. Estimating species richness: The importance of heterogeneity in species detectability. *Ecology*. 1998; 79(3):1018-1028.
- Braithwaite, R. W. Fauna and habitat surveys as ecological pathfinders. Margules, C. R. and Austin, M. P. *Nature Conservation: Cost Effective Biological Surveys and Data Analysis*. CSIRO; 1991; pp. 23-30.
- Briggs, J. C. Species diversity - Land and sea compared. *Systematic Biology*. 1994; 43(1):130-135.
- Brockway, D. G. Forest plant diversity at local and landscape scales in the Cascade Mountains of southwestern Washington. *Forest Ecology & Management*. 1998; 109(1-3):323-341.
- Brown, A. G. Biodiversity and pollen analysis: modern pollen studies and the recent history of a floodplain woodland in S-W-Ireland. *JOURNAL OF BIOGEOGRAPHY*. 1999; 26(1):19-32 / 14; ISSN: ISI:000080173700003.
- Brown, K. S. Conservation of neotropical environments: Insects as indicators. Collins, J. M. and Thomas, J. A. *The Conservation of Insects and Their Habitats*. London: Academic Press; 1991.
- Brownell, R. L.; Ralls, K., and Perrin, W. F. Marine mammal biodiversity: Three diverse orders encompass 119 species. *Oceanus*. 1995; 38(2):30-33.
- Buckland, S. T. and Elston, D. A. Empirical models for the spatial distribution of wildlife. *Journal of Applied Ecology*. 1993; 30:478-495.
- Burbidge, A. A. Cost constraints on surveys for nature conservation. Margules, C. R. and Austin, M. P. *Nature Conservation: Cost Effective Biological Surveys and Data Analysis*. Canberra: CSIRO; 1991.
- Burgess, N de Klerk H Fjeldsa J Crowe T Rahbek R. A preliminary assessment of congruence between biodiversity patterns in Afrotropical forest birds and forest mammals. *OSTRICH*. 2000; 71(1-2):286-290 5; ISSN: ISI:000088246100065.
- Burley, F. W. Monitoring biodiversity for setting priorities in conservation. Wilson, E. O. *Biodiversity*. Washington, DC: National Academy Press; 1988; pp. 227-230.
- Busby, J. R. BIOCLIM - A bioclimatic analysis and prediction system. Margules, C. R. and Austin, M. P. *Nature Conservation: Cost Effective Biological Surveys and Data Analysis*. Canberra: CSIRO; 1991.
- Busing, R. T. and White, P. S. Species diversity and small-scale disturbance in an old-growth temperate forest: A consideration of gap partitioning concepts. *Oikos*. 1997; 78(3):562-568.
- Butler, B. J. and Chazdon, R. L. Species richness, spatial variation, and abundance of the soil seed bank of a secondary tropical rain forest. *Biotropica*. 1998; 30(2):214-222.
- Butterfield Bart R; Csuti Blair, and Scott J Michael. Modeling vertebrate distributions for gap analysis. Miller, R. I.: Ed. *Mapping the diversity of nature*. 1994; pp. 53-69.

- Caley, M. J. and Schluter, D. The relationship between local and regional diversity. *Ecology*. 1997; 78(1):70-80.
- Carpentier, C. G.; Pelissier, R.; Pascal, J. P., and Houllier, F. Sampling strategies for the assessment of tree species diversity. *Journal of Vegetation Science*. 1998; 9(2)161-172.
- Carroll, S. S. Modelling abiotic indicators when obtaining spatial predictions of species richness. *Environmental and Ecological Statistics*. 1998; 5(3)257-276.
- Carroll, S. S. and Pearson, D. L. The effects of scale and sample size on the accuracy of spatial predictions of tiger beetle (Cicindelidae) species richness. *Ecography*. 1998; 21(4)401-414.
- . Spatial modeling of butterfly species richness using tiger beetles (Cicindelidae) as a bioindicator taxon. *Ecological Applications*. 1998; 8(2)531-543.
- Chon, T. S.; Park, Y. S.; Moon, K. H., and Cha, E. Y. Patternizing communities by using an artificial neural network. *Ecological Modelling*. 1996; 9069-78.
- Chown, S. L.; Gaston, K. J., and Williams, P. H. Global patterns in species richness of pelagic seabirds: the Procellariiformes. *Ecography*. 1998; 21(4)342-350.
- Clark, D. A. Deciphering landscape mosaics of neotropical trees: GIS and systematic sampling provide new views of tropical rainforest diversity. *Annals of the Missouri Botanical Gardens*. 1998; 85(1)18-33.
- Clineball, P. R.; Phillips, O. L.; Gentry, A. S.; Stark, N., and Zuuring, H. Prediction of neotropical tree and liana species richness from soil and climatic data. *Biodiversity and Conservation*. 1995; 4(1):56-90.
- Cocks, K. D. and Baird, I. A. The role of Geographic Information Systems in the collection, extrapolation, and use of survey data. Margules, C. R. and Austin, M. P. *Nature Conservation: Cost Effective Biological Surveys and Data Analysis*. CSIRO; 1991; pp. 74-82.
- Cody, M. L. Towards a theory of continental species diversity: Bird distributions over Mediterranean habitat gradients. Cody, M. L. and Diamond, J. M. *Ecology and Evolution of Communities*. Cambridge, MA: Belknap Press of Harvard University Press; 1975; pp. 214-257.
- Coleman, N.; Gason, A. S. H., and Poore, G. C. B. High species richness in the shallow marine waters of south east Australia. *Marine Ecology - Progress Series*. 1997; 15417-26.
- Colwell, R. K. and Coddington, J. A. Estimating terrestrial biodiversity through extrapolation. *Philosophical Transactions of the Royal Society of London Series B - Biological Sciences*. 1994; 345101-118.
- Colwell, R. K. and Hurtt, G. C. Nonbiological gradients in species richness and a spurious Rapoport effect. *The American Naturalist*. 1994; 144(4):570-595.
- Common, M. S. and Norton, T. W. Biodiversity, Natural Resource Accounting and Ecological Monitoring. *Environmental and Resource Economics*. 1994; 4(1):29-53.
- Crandall, K. A. Conservation phylogenetics of Ozark crayfishes: Assigning priorities for aquatic habitat protection. *Biological Conservation*. 1998; 84(2)107-117.
- Crawley M J [a] and Harral J E. Scale dependence in plant biodiversity. *Science (Washington D C)*. 2001 Feb 2; [print] 291(5505)864-868.
- Cronk, Q. *Biodiversity - The Key Role of Plants*. Gland, Switzerland: IUCN/WWF; 1988.

- Crowe, T. M. and Crowe, A. A. Patterns of distribution, diversity and endemism in Afrotropical birds. *Journal of Zoology*. 1982; 198417-442.
- Cumming, D. H. M.; Fenton, M. B.; Rautenbach, I. L.; Taylor, R. D.; Cumming, G. S.; Cumming, M. S.; Dunlop, J. M.; Ford, A. G.; Hovorka, M. D.; Johnston, D. S.; Kalcounis, M.; Mahlangu, Z., and Portfors, C. V. R. Elephants, woodlands and biodiversity in southern Africa. *South African Journal of Science*. 1997; 93(5):231-236.
- Curnutt, J.; Lockwood, J.; Lu, H.-K.; Nott, P., and Russell, G. Hotspots and species diversity. *Nature*. 1994; 367326-327.
- Currie, D. J. Energy and large-scale patterns of animal and plant species richness. *The American Naturalist*. 1991; 137(1):27-49.
- Currie, D. J. and Paquin, V. Large-scale biogeographical patterns of species richness in trees. *Nature*. 1987; 329326-327.
- Currie David J; Francis Anthony P, and Kerr Jeremy T [a]. Some general propositions about the study of spatial patterns of species richness. *Ecoscience*. 1999; 6(3)392-399.
- Dasmann, R. F. Towards a system for classifying natural regions of the world and their representation by national parks and reserves. *Biological Conservation*. 1972; 4247-255.
- Debinski, D. M. Kindscher KJakubauskas ME. A remote sensing and GIS-based model of habitats and biodiversity in the Greater Yellowstone Ecosystem. *INTERNATIONAL JOURNAL OF REMOTE SENSING*. 1999; 20(17):3281-3291 / 11; ISSN: ISI:000083238900005.
- Desender, K. and Maelfait, J. P. Diversity and conservation of terrestrial arthropods in tidal marshes along the River Schelde: a gradient analysis. *Biological Conservation*. 1999; 87(2)221-229.
- Dupuy, J. M. and Chazdon, R. L. Long-term effects of forest regrowth and selective logging on the seed bank of tropical forests in NE Costa Rica. *Biotropica*. 1998; 30(2)223-237.
- Edwards Jr, T. C.; Deshler, E. T.; Foster, D., and Moisen, G. G. Adequacy of wildlife habitat relation models for estimating spatial distributions of terrestrial vertebrates. *Conservation Biology*. 1996; 10(1):263-270.
- Elliot, K. J.; Boring, L. R., and Swank, W. T. Changes in vegetation structure and diversity after grass-to-forest succession in a Southern Appalachian watershed. *American Midland Naturalist*. 1998; 140(2)219-232.
- Ellis, D. V. Macdonald VI. Rapid preliminary assessment of seabed biodiversity for the marine and coastal mining industries. *MARINE GEORESOURCES & GEOTECHNOLOGY*. 1998; 16(4):307-319 / 13; ISSN: ISI:000077718000004.
- Elton, C. S. *The Pattern of Animal Communities*. London: Methuen; 1966.
- Erwin, T. L. How many species are there? Revisited. *Conservation Biology*. 1991; 5330-333.
- Everson, D. A. and Boucher, D. H. Tree species-richness and topographic complexity along the riparian edge of the Potomac River. *Forest Ecology & Management*. 1998; 109(1-3)305-314.
- Faith, D. P. Effective pattern analysis methods for nature conservation. Margules, C. R. and Austin, M. P. *Nature Conservation: Cost Effective Biological Surveys and Data Analysis*. CSIRO; 1991; pp. 47-53.
- Faith, D. P.; Minchin, P., and Belbin, L. Compositional dissimilarity as a robust measure of ecological distance. *Vegetatio*. 1987; 6957-68.

- Faith, D. P. and Norris, R. Correlation of environmental variables with patterns of distributions and abundance of common and rare freshwater macroinvertebrates. *Biological Conservation*. 1989; 5077-98.
- Fanlay, B. J.; Esteban, G. F., and Fenchel, T. Global diversity and body size - Scientific correspondence. *Nature*. 1996; 383132.
- Ferreira, L. V. and Prance, G. T. Structure and species richness of low-diversity floodplain forest on the Rio Tapajos, Eastern Amazonia, Brazil. *Biodiversity and Conservation*. 1998; 7(5)585-596.
- Fjeldsa, J.; Ehrlich, D.; Lambin, E., and Prins, E. Are biodiversity "hotspots" correlated with current ecoclimatic stability? A pilot study using the NOAAVHRR remote sensing data. *Biodiversity and Conservation*. 1997; 6(3):401-422.
- Food and Agricultural Organization. Tropical Forest Resources Assessment. Rome: FAO; 1993.
- Fortin, M. J.; Drapeau, P., and Legendre, P. Spatial autocorrelation and sampling design in plant ecology. *Vegetatio*. 1989; 83209-222.
- Francis, A. P. and Currie, D. J. Global patterns of tree species richness in moist forests: another look. *Oikos*. 1998; 81(3)598-602.
- Fraser, R. H. Vertebrate species richness at the mesoscale: relative roles of energy and heterogeneity. *Global Ecology & Biogeography Letters*. 1998; 7(3)215-220.
- Fuller, R. M.; Groom, G. B.; Mugisha, S.; Ipuleit, P.; Pomeroy, D.; Katende, A.; Bailey, R., and OgutuOhwayo, R. The integration of field survey and remote sensing for biodiversity assessment: a case study in the tropical forests and wetlands of Sango Bay, Uganda. *Biological Conservation*. 1998; 86(3)379-391.
- Ganeshaiyah, K. N. and Shaanker, R. U. Contours of conservation-a national agenda for mapping biodiversity. *Current Science*. 1998; 75(3)292-298.
- Garcia, S.; Finch, D. M., and Leon, G. C. Patterns of forest use and endemism in resident bird communities of north-central Michoacan, Mexico. *Forest Ecology & Management*. 1998; 110(1-3)151-171.
- Gaston, K. J. Body size and probability of description: The beetle fauna of Britain. *Ecological Entomology*. 1991; 16505-508.
- . How large is a species' geographic range? *Oikos*. 1991; 61434-438.
- . The magnitude of global insect species richness. *Conservation Biology*. 1991; 5283-296.
- Gaston, K. J. and Blackburn, T. M. Conservation implications of geographic range size-body size relationships. *Conservation Biology*. 1996; 10(2):638-646.
- Gaston, K. J. and Chown, S. L. Why Rapoport's rule does not generalise. *Oikos*. 1999; 84(2)309-312.
- Gaston, K. J. and Hudson, E. Regional patterns of diversity and estimates of global insect species richness. *Biodiversity and Conservation*. 1994; 3(6):493-500.
- Gaston, K. J. and Williams, P. H. Mapping the world's species--The higher taxon approach. *Biodiversity Letters*. 1993; 12-8.
- Gaston, K. J.; Williams, P. H.; Eggleton, P., and Humphries, C. J. Large scale patterns of biodiversity: Spatial variation in family richness. *Proceedings of the Royal Society of London Series B - Biological Sciences*. 1995; 260(1358):149-154.

- Gentry, A. H. Changes in plant community diversity and floristic composition of environmental and geographical gradients. *Annals of the Missouri Botanical Gardens*. 1988; 751-34.
- . Tropical forest biodiversity: Distributional patterns and their conservational significance. *Oikos*. 1992; 6319-28.
- Gentry, A. W. Endemism in tropical versus temperate plant communities. Soulé, M. E. *Conservation Biology: The Science of Scarcity and Diversity*. Sunderland, MA: Sinauer Associates, Inc.; 1986.
- Gibbons, J. W.; Burke, V. J.; Lovich, J. E.; Semlitsch, R. D.; Tuberville, T. D.; Bodie, J. R.; Greene, J. L.; Niewiarowski, P. H.; Whiteman, H. H.; Scott, D. E.; Pechmann, J. H. K.; Harrison, C. R.; Bennett, S. H.; Krenz, J. D.; Mills, M. S.; Buhlmann, K. A.; Lee, J. R.; Seigel, R. A.; Tucker, A. D.; Mills, T. M.; Lamb, T.; Dorcas, M. E.; Congdon, J. D.; Smith, M. H.; Nelson, D. H.; Dietsch, M. B.; Hanlin, H. G.; Ott, J. A., and Karapatakis, D. J. Perceptions of species abundance, distribution, and diversity: Lessons from four decades of sampling on a government-managed preserve. *Environmental Management*. 1997; 21(2):259-268.
- Gillison, A. N. and Brewer, K. R. W. The use of gradient directed transects or gradsects in natural resource survey. *Journal of Environmental Management*. 1985; 20103-127.
- GimaretCarpentier, C.; Pelissier, R.; Pascal, J. P., and Houllier, F. Sampling strategies for the assessment of tree species diversity. *Journal of Vegetation Science*. 1998; 9(2)161-172.
- Glazier, D. S. Energetics and taxonomic patterns of species diversity. *Systematic Zoology*. 1987; 3662-71.
- Goetze, D. Biodiversity of landscape sections: assessing and analyzing gamma-diversity by means of vegetation complexes. *PHYTOCOENOLOGIA*. 2000; 30(1):1-129 / 129; ISSN: ISI:000086757400001.
- Gotmark, F.; Ahlund, M., and M.O.G.Eriksson. Are indices reliable for assessing conservation value of natural areas? An avian case study. *Biological Conservation*. 1986; 3855-73.
- Grassle, J. F. Deep-sea benthic biodiversity. *BioScience*. 1991; 41(7):464-469.
- Grassle, J. F. and Maciolek, N. J. Deep-sea species richness: Regional and local diversity estimates from quantitative bottom samples. *The American Naturalist*. 1992; 139313-341.
- Green, R. H. and Young, R. C. Sampling to detect rare species. *Ecological Applications*. 1993; 3351-356.
- Groombridge, B. *Global Biodiversity: Status of the Earth's Living Resources*. London: Chapman and Hall; 1992.
- Guilbert, E. Studying canopy arthropods in New Caledonia: how to obtain a representative sample. *Journal of Tropical Ecology*. 1998; 14(5)665-672.
- Haila, Y. Quantitative surveys in biodiversity research. *Ecography*. 1996; 19(3):321-322.
- Hamilton-Wright, D. Species-energy theory: An extension of species-area theory. *Oikos*. 1983; 41496-506.
- Hammond, P. M. Insect abundance and diversity in the Duoga-Bone National Park, N. Sulawesi, with special reference to the beetle fauna of lowland rainforest in the Toraut region. Knight, W. J. and Holloway, J. D. *Insects and the Rain Forests of South East Asia (Wallacia)*. London: Royal Entomological Society of London; 1990.
- . Practical approaches to the estimation of the extent of biodiversity in speciose groups. *Philosophical Transactions of the Royal Society of London Series B - Biological Sciences*. 1994; 345199-136.

- . Species inventory. *Global Biodiversity Status of the Earth's Living Resources*. London: Chapman and Hall; 1992.
- Hanson, A. J.; McComb, W. C.; Vega, R.; Raphael, M. G., and Hunter, M. Bird habitat relationships in the natural and managed forests in the West Cascades of Oregon. *Ecological Applications*. 1995; 5(3):555-569.
- Harrison, S.; Ross, S. J., and Lawton, J. H. Beta diversity on geographic gradients in Britain. *Journal of Animal Ecology*. 1992; 61:151-158.
- Haufler, Jonathan B.; Mehl, Carolyn A., and Roloff, Gary J. Using a coarse-filter approach with species assessment for ecosystem management. *Wildlife Society Bulletin*. 1996; 24(2):200-208.
- Hecnar, S. J. and Closkey, R. Species richness patterns of amphibians in southwestern Ontario ponds. *Journal of Biogeography*. 1998; 25(4):763-772.
- Hermly, M Cornelis J. Towards a monitoring method and a number of multifaceted and hierarchical biodiversity indicators for urban and suburban parks. *LANDSCAPE AND URBAN PLANNING*. 2000; 49(3-4):149-162 / 14; ISSN: ISI:000088077000004.
- Hinsley, S. A.; Bellamy, P. E.; Enoksson, B.; Fry, G.; Gabrielsen, L.; McCollin, D., and Schotman, A. Geographical and land-use influences on bird species richness in small woods in agricultural landscapes. *Global Ecology & Biogeography Letters*. 1998; 7(2):125-135.
- Hobaek, A. Weider LJ. A circumpolar study of Arctic biodiversity: Phylogeographic patterns in the *Daphnia pulex* complex. *AMBIO*. 1999; 28(3):245-250 / 6; ISSN: ISI:000081012200007.
- Holloway, J. D. and Stork, N. E. The dimensions of biodiversity: The use of invertebrates as indicators of human impact. *Hawksworth, D. L. The Biodiversity of Microorganisms and Invertebrates: Its Role in Sustainable Agriculture*. Wallingford: CAIB; 1991.
- Honnay, O.; Hermly, M., and Coppin, P. Effects of area, age, and diversity of forest patches in Belgium on plant species richness, and implications for conservation and reforestation. *Biological Conservation*. 1999; 87(1):73-84.
- Horne, J. Analysis of animal survey data. *Margules, C. R. and Austin, M. P. Nature Conservation: Cost Effective Biological Surveys and Data Analysis*. CSIRO; 1991; pp. 42-46.
- Hugueny, B.; deMorais, L. T.; Merigoux, S.; deMerona, B., and Ponton, D. The relationship between local and regional species richness: Comparing biotas with different evolutionary histories. *Oikos*. 1997; 80(3):583-587.
- Hull, H. E.; Freitag, S.; Chown, S. L., and Bellamy, C. L. Identification and evaluation of priority conservation areas for Buprestidae (Coleoptera) in South Africa, Lesotho, Swaziland and Namibia. *African Entomology*. 1998; 6(2):265-274.
- Iremonger, S. and Sayre, R. *A Rapid Ecological Assessment of the Bladen Nature Reserve, Belize*. Arlington, VA: The Nature Conservancy; 1994.
- Jackson Jeremy B C [a] and Johnson Kenneth G. Measuring past biodiversity. *Science (Washington D C)*. 2001 Sep 28; [print] 293(5539):2401-2404.
- Johnson, C. N. Rarity in the tropics: latitudinal gradients in distribution and abundance in Australian mammals. *Journal of Animal Ecology*. 1998; 67(5):689-698.

- Jones, D.T. Eggleton P. Sampling termite assemblages in tropical forests: testing a rapid biodiversity assessment protocol. *JOURNAL OF APPLIED ECOLOGY*. 2000; 37(1):191-203 / 13; ISSN: ISI:000086194600017.
- Jones, R. E. and Kitching, R. Biological inventory. Goudberg, N.; Bonell, M., and Benzaken, D. Tropical Rainforest Research in Australia. Townsville: Institute for Tropical Rainforest Studies; 1991.
- Kareiva, P. No shortcuts in new maps. *Nature*. 1993; 365:292-293.
- Kaufman, D. M. and Willig, M. R. Latitudinal patterns of mammalian species richness in the New World: the effects of sampling method and faunal group. *Journal of Biogeography*. 1998; 25(4):795-805.
- Kavanagh, R. P. and Bamkin, K. L. Distribution of nocturnal forest birds and mammals in relation to the logging mosaic in southeastern New South Wales, Australia. *Biological Conservation*. 1995; 71(1):41-54.
- Keating, K. A. and Quinn, J. F. Estimating species richness: The Michaelis-Menten model revisited. *Oikos*. 1998; 81(2):411-416.
- Kerr Jeremy [a]. Global biodiversity patterns: From description to understanding. *Trends in Ecology & Evolution*. 2001; 16(8):424-425.
- Kerr Jeremy [a] and Packer Laurence. The impact of climate changes on mammal diversity in Canada. *Environmental Monitoring & Assessment*. 1998; 49(2-3):263-270.
- Kerr Jeremy T. Species richness, endemism, and the choice of areas for conservation. *Conservation Biology*. 1997; 11(5):1094-1100.
- Kerr Jeremy T [a]. Weak links: 'Rapoport's rule' and large-scale species richness patterns. *Global Ecology & Biogeography Letters*. 1999; 8(1):47-54.
- Kerr Jeremy T [a] and Currie David J. The relative importance of evolutionary and environmental controls on broad-scale patterns of species richness in North America. *Ecoscience*. 1999; 6(3):329-337.
- Kerr Jeremy T [a] and Packer Laurence. Habitat heterogeneity as a determinant of mammal species richness in high-energy regions. *Nature (London)*. 1997; 385(6613):252-254.
- Kerr Jeremy T [a]; Sugar Alissa, and Packer Laurence. Indicator taxa, rapid biodiversity assessment, and nestedness in an endangered ecosystem. *Conservation Biology*. 2000 Dec; [print] 14(6):1726-1734.
- Kerr Jeremy T [a]; Vincent Rebecca, and Currie David J. Lepidopteran richness patterns in North America. *Ecoscience*. 1998; 5(4):448-453.
- Kiester, A. R. Species density of North American amphibians and reptiles. *Systematic Zoology*. 1971; 20(2):127-137.
- Kindscher, K. and Wells, P. V. Prairie plant guilds: A multivariate analysis of prairie species based on ecological and morphological traits. *Vegetatio*. 1995; 117(1):29-50.
- Kirkpatrick, J. B. Conservation of plant species, alliances and associations of the treeless high country of Tasmania. *Biological Conservation*. 1986; 37:43-57.
- Kirkpatrick, J. B. and Brown, M. J. Numerical analysis of higher plant endemism in Tasmania. *Botanical Journal of the Linnean Society of London*. 1984; 88:165-183.
- . The paleogeographic significance of local endemism in Tasmanian higher plants. *Search*. 1984; 15:112-113.

- Kitayama, K. Patterns of species diversity on an oceanic versus a continental island mountain: A hypothesis on species diversification. *Journal of Vegetation Science*. 1996; 7(6):879-888.
- Kleidon, A Mooney HA. A global distribution of biodiversity inferred from climatic constraints: results from a process-based modelling study. *GLOBAL CHANGE BIOLOGY*. 2000; 6(5):507-523 / 17; ISSN: ISI:000087864900004.
- Kodric-Brown, A. and Brown, J. H. Incomplete data sets in community ecology and biogeography: A cautionary tale. *Ecological Applications*. 1993; 3(4):736-742.
- Koerner, C. Scaling from species to vegetation: The usefulness of functional groups. Shulze, E. D. and Mooney, H. A. *Biodiversity and Ecosystem Function*. Berlin: Springer-Verlag; 1994.
- Kolasa, J.; Hewitt, C. L., and Drake, J. A. Rapoport's rule: an explanation or a byproduct of the latitudinal gradient in species richness? *Biodiversity and Conservation*. 1998; 7(11):1447-1455.
- Koslow, J. A.; Williams, A., and Paxton, J. R. How many demersal fish species in the deep sea? A test of a method to extrapolate from local to global diversity. *Biodiversity and Conservation*. 1997; 6(11):1523-1532.
- Kreman, C. Assessing the indicator properties of species assemblages for natural areas monitoring. *Ecological Applications*. 1992; 2203-217.
- . Butterflies as ecological and biodiversity indicators. *Wings*. 1992; 1614-17.
- Landres, P. B.; Verner, J., and Thomas, J. W. Ecological uses of vertebrate indicator species: A critique. *Conservation Biology*. 1988; 2316-328.
- Larsen, David P. and Herlihy Alan T. The dilemma of sampling streams for macroinvertebrate richness. *Journal of the North American Benthological Society*. 1998; 17(3):359-366.
- Laurance, W. F. Ecological correlates of extinction proneness in Australian tropical rain forest mammals. *Conservation Biology*. 1991; 51-11.
- Lawesson, J. E.; deBlust, G.; Grashof, C.; Firbank, L.; Honnay, O.; Hermy, M.; Hobitz, P., and Jensen, L. M. Species diversity and area-relationships in Danish beech forests. *Forest Ecology & Management*. 1998; 106(2-3):235-245.
- Lawton, J. H. Are there general laws in ecology? *Oikos*. 1999; 84(2):177-192.
- . Ecology: Body size and biodiversity. *Nature*. 1996; 380:672.
- Lawton, J. H.; Prendergast, J. R., and Eversham, B. C. The numbers and spatial distribution of species: Analysis of British data. Forey, P. L.; Humphries, C. J., and Vane-Wright, R. I. *Systematics and Conservation Evaluation*. Oxford, UK: Oxford University Press; 1994.
- Leathwick, J. R.; Burns, B. R., and Clarkson, B. D. Environmental correlates of tree-alpha-diversity in New Zealand primary forests. *Ecography*. 1998; 21(3):235-246.
- LeBrocq, A. F. Richness of species and growth-forms within sclerophyll and mesophyll vegetation in eastern Australia. *Australian Journal of Ecology*. 1998; 23(2):168-176.
- Levin, S. A. The problem of pattern and scale in ecology. *Ecology*. 1992; 73:1943-1967.

- Lindenmayer, D. B.; Nix, H. A.; McMahon, J. P.; Hutchinson, M. F., and Tanton, M. T. The conservation of Leadbeater's possum, *Gymnobelideus leadbeateri* (McCoy): A case study of the use of bioclimatic modelling. *Journal of Biogeography*. 1991; 18371-383.
- Liu, D. S.; Iverson, L. R., and Brown, S. Rates and patterns of deforestation in the Philippines: applications of Geographic Information System analysis. *Forest Ecology & Management*. 1993; 571-16.
- Liu, Q. H. A model for species diversity monitoring at community level and its applications. *Environmental Monitoring & Assessment*. 1995; 34(3):271-287.
- Long, A. J.; Crosby, M. J.; Stattersfield, A. J., and Wege, D. C. Towards a global map of biodiversity: Patterns in the distribution of restricted-range birds. *Global Ecology & Biogeography Letters*. 1996; 5(4-5):281-304.
- Loreau, M. Separating sampling and other effects in biodiversity experiments. *OIKOS*. 1998; 82(3):600-602 / 3; ISSN: ISI:000075314900019.
- Lwanga, J. S.; Balmford, A., and Badaza, R. Assessing fern diversity: relative species richness and its environmental correlates in Uganda. *Biodiversity and Conservation*. 1998; 7(11):1387-1398.
- MacArthur, R. H. Environmental factors affecting bird species diversity. *The American Naturalist*. 1964; 98387-397.
- . *Geographical Ecology: Patterns in the Distribution of Species*. Princeton: Princeton University Press; 1972.
- . Patterns of species diversity. *Biological Review*. 1965; 40510-533.
- MacArthur, R. H.; Recher, H. E., and and Cody, M. L. On the relation between habitat selection and species diversity. *The American Naturalist*. 1966; 100319-332.
- Macpherson E and Duarte, C. M. Patterns in species richness, size and latitudinal range of East Atlantic fishes. *Ecography*. 1994; 17(3):242-248.
- Magnussen, S. and Boyle, T. J. B. Estimating sample size for inference about the Shannon-Weaver and the Simpson indices of species diversity. *Forest Ecology & Management*. 1995; 78(1-3):71-84.
- Margules, C. R. Introduction to some Australian developments in conservation evaluation. *Biological Conservation*. 1989; 501-11.
- Margules, C. R. and Austin, M. P. Biological models for monitoring species decline: The construction and use of data bases. *Philosophical Transactions of the Royal Society of London Series B - Biological Sciences*. 1994; 34569-75.
- . *Nature Conservation: Cost Effective Biological Surveys and Data Analysis*. Melbourne, Australia: CSIRO; 1991.
- Matthews, E. Global vegetation and land-use: New high-resolution data bases for climate studies. *Journal of Climate Applied Meteorology*. 1983; 22474-487.
- May, R. M. How many species? *Philosophical Transactions of the Royal Society of London Series B - Biological Sciences*. 1990; 330293-304.
- . How many species are there on Earth? *Science*. 1988; 2411441-1449.
- . How many species inhabit the Earth? *Scientific American*. 1992; 26742-48.

- McKay, C Coulthard N. The Kilum-Ijim Forests IBA in Cameroon: monitoring biodiversity using birds as indicators. *OSTRICH*. 2000; 71(1-2):177-180 / 4; ISSN: ISI:000088246100045.
- McKenney, D. W.; Mackey, B. G.; Bogart, J. P.; McKee, J. E.; Oldham, M. J., and Chek, A. Bioclimatic and spatial analysis of Ontario reptiles and amphibians. *Ecoscience*. 1998; 5(1)18-30.
- McKenzie, N. L.; Robinson, A. C., and Belbin, L. Biogeographic survey of the Nullarbor District, Australia. Margules, C. R. and Austin, M. P. *Nature Conservation: Cost Effective Biological Surveys and Data Analysis*. Canberra: CSIRO; 1991; pp. 109-126.
- McKinney, M. L. and Drake, J. A. Biodiversity dynamics: Turnover of populations, taxa, and communities. 1998.
- McPeck, M. A. Linking local species interactions to rates of speciation in communities. *Ecology*. 1996; 77(5):1355-1366.
- Medail, F. and Vidal, E. Patterns of plant richness and composition on western Mediterranean islands (off the southeast coast of France). *Canadian Journal of Botany*. 1998; 76(2)321-331.
- Miller, R. *Mapping the Diversity of Nature*. London: Chapman and Hall; 1994.
- Miller, R. I.; Simon, S. N., and Howell, K. M. A methodology for analyzing rare species distribution patterns utilizing GIS technology: The rare birds of Tanzania. *Landscape Ecology*. 1989; 2173-189.
- Montana, C. and Valiente Banuet, A. Floristic and life-form diversity along an altitudinal gradient in an intertropical semiarid Mexican region. *Southwestern Naturalist*. 1998; 43(1)40-46.
- Moreno, CE Halfiter G. Assessing the completeness of bat biodiversity inventories using species accumulation curves. *JOURNAL OF APPLIED ECOLOGY*. 2000; 37(1):149-158 / 10; ISSN: ISI:000086194600013.
- Murali, K. S.; Setty, R. S.; Ganeshaiah, K. N., and Shaanker, R. U. Does forest type classification reflect spatial dynamics of vegetation? *Current Science*. 1998; 75(3)220-227.
- Myers, N. The biodiversity challenge: Expanded hot-spots analysis. *The Environmentalist*. 1990; 10243-256.
- . Threatened biota: "Hot spots" in tropical forests. *The Environmentalist*. 1988; 8187-208.
- Nagendra, H. Gadgil M. Biodiversity assessment at multiple scales: Linking remotely sensed data with field information. *PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF THE UNITED STATES OF AMERICA*. 1999; 96(16):9154-9158 / 5; ISSN: ISI:000081835500069.
- Neave, H. M. and Norton, T. W. Biological inventory for conservation evaluation IV. Composition, distribution and spatial prediction of vegetation assemblages in southern Australia. *Forest Ecology & Management*. 1998; 106(2-3)259-281.
- Neldner, V. J.; Crossley, D. C., and Cofinas, M. Using geographic information systems (GIS) to determine the adequacy of sampling in vegetation surveys. *Biological Conservation*. 1995; 73(1):1-18.
- Nicholls, A. O. Examples of the use of generalized linear models in analysis of survey data for conservation evaluation. Margules, C. R. and Austin, M. P. *Nature Conservation: Cost Effective Biological Surveys and Data Analysis*. Canberra: CISRO; 1991.
- . How to make biological surveys go further with generalized linear models. *Biological Conservation*. 1989; 5051-75.

- Nichols, J. D.; Boulinier, T.; Hines, J. E.; Pollock, K. H., and Sauer, J. R. Inference methods for spatial variation in species richness and community composition when not all species are detected. *Conservation Biology*. 1998; 12(6):1390-1398.
- Nichols, W. F.; Killingbeck, K. T., and August, P. V. The influence of geomorphical heterogeneity on biodiversity II. A landscape perspective. *Conservation Biology*. 1998; 12(2):371-379.
- Nicklas, K. J. and Tiffney, B. H. The quantification of plant biodiversity through time. *Philosophical Transactions of the Royal Society of London Series B - Biological Sciences*. 1994; 345:35-44.
- Nielsen, E. S. and West, J. G. Biodiversity research and biological collections: Transfer of information. Forey, P. L.; Humphries, C. J., and Vane-Wright, R. I. *Systematics and Conservation Evaluation*. Oxford, UK: Oxford University Press; 1994.
- Nix, H. A. Environmental determinants of biogeography and evolution in Terra Australis. Baker, W. R. and Greenslade, P. J. M. *Evolution of the Flora and Fauna of Arid Australia*. Adelaide, South Australia: Peacock Publishers; 1982.
- Noble, I. and Norton, G. Economic aspects of monitoring for national park management. Margules, C. R. and Austin, M. P. *Nature Conservation: Cost Effective Biological Surveys and Data Analysis*. CSIRO; 1991; pp. 69-73.
- Noss, R. F. From plant communities to landscapes in conservation inventories: A look at The Nature Conservancy (USA). *Biological Conservation*. 1987; 41:11-37.
- . Indicators for monitoring biodiversity: A hierarchical approach. *Conservation Biology*. 1990; 4:355-364.
- Oberdorff, T.; Guegan, J. F., and Hugueny, B. Global scale patterns of fish species richness in rivers. *Ecography*. 1995; 18(4):345-352.
- O'Brien, E. M. Water-energy dynamics, climate, and prediction of woody plant species richness: an interim general model. *Journal of Biogeography*. 1998; 25(2):379-398.
- O'Brien, E. M. and Peters, C. R. Wild fruit trees and shrubs of southern Africa: geographic distribution of species richness. *Economic Botany*. 1998; 52(3):267-278.
- Odgaard, B. V. Fossil pollen as a record of past biodiversity. *JOURNAL OF BIOGEOGRAPHY*. 1999; 26(1):7-17
11; ISSN: ISI:000080173700002.
- O'Donnell, A. G.; Goodfellow, M., and Hawksworth, D. L. Theoretical and practical aspects of the quantification of biodiversity among microorganisms. *Philosophical Transactions of the Royal Society of London Series B - Biological Sciences*. 1994; 345:65-73.
- Ohmann, J. L. and Spies, T. A. Regional gradient analysis and spatial pattern of woody plant communities of Oregon forests. *Ecological Monographs*. 1998; 68(2):151-182.
- Oliver, I. and Beattie, A. J. Invertebrate morphospecies as surrogates for species: A case study. *Conservation Biology*. 1996; 10(1):99-109.
- . A possible method for the rapid assessment of biodiversity. Forey, P. L.; Humphries, C. J., and Vane-Wright, R. I. *Systematics and Conservation Evaluation*. Oxford, UK: Oxford University Press; 1994.
- Oliver, I. Pik S. Britton D. Dangerfield J.M. Colwell R.K. Beattie A.J. Virtual biodiversity assessment systems. *BIOSCIENCE*. 2000; 50(5):441-450 / 10; ISSN: ISI:000086808700007.

- Osborne, P. E. and Tigar, B. J. Interpreting bird atlas data using logistic models: An example from Lesotho, southern Africa. *Journal of Applied Ecology*. 1992; 29:55-62.
- Owen, J. G. On productivity as a predictor of rodent and carnivore diversity. *Ecology*. 1988; 69:1161-1165.
- Palmer, M. A. The application of biogeographical zonation and biodiversity assessment to the conservation of freshwater habitats in Great Britain. *AQUATIC CONSERVATION-MARINE AND FRESHWATER ECOSYSTEMS*. 1999; 9(2):179-208 / 30; ISSN: ISI:000080428800001.
- Palmer, M. W. Estimating species richness: The second-order jackknife reconsidered. *Ecology*. 1991; 72(4):1512-1513.
- . The estimation of species richness by extrapolation. *Ecology*. 1990; 71(3):1195-1198.
- Pearson, D. L. and Carroll, S. S. Global patterns of species richness: spatial models for conservation planning using bioindicator and precipitation data. *Conservation Biology*. 1998; 12(4):809-821.
- Pearson, D. L. and Cassola, F. World-wide species richness patterns of tiger beetles (Coleoptera: Cicindelidae): Indicator taxon for biodiversity and conservation studies. *Conservation Biology*. 1992; 6(3):376-391.
- Pelz, D. R. and Luebbers, P. Quantifying biodiversity-The effect of sampling method and intensity on diversity indices. *Environmental Forest Science*. 1998; 54:373-378.
- Pettersson, M. Monitoring a freshwater fish population: Statistical surveillance of biodiversity. *ENVIRONMETRICS*. 1998; 9(2):139-150 / 12; ISSN: ISI:000073060600003.
- Pianka, E. R. Latitudinal gradients in species diversity: A review of concepts. *The American Naturalist*. 1966; 100:33-46.
- Pimm, S. L. and Gittleman, J. L. Biological diversity: Where is it? *Science*. 1992; 255(5047):940.
- Pitkanen, S. The use of diversity indices to assess the diversity of vegetation in managed boreal forests. *Forest Ecology & Management*. 1998; 112(1-2):121-137.
- Pomeroy, D. Centres of high biodiversity in Africa. *Conservation Biology*. 1993; 7:901-907.
- Poulsen, B. O. and Krabbe, N. Avifaunal diversity of five high-altitude cloud forests on the Andean western slope of Ecuador: testing a rapid assessment method. *Journal of Biogeography*. 1998; 25(1):83-93.
- Prance, G. T. Rates of loss of biological diversity: A global view. Spellerberg, I. F.; Goldsmith, F. B., and Morris, M. G. *The Scientific Management of Temperate Communities for Conservation*. Oxford, UK: Blackwell Scientific Publications; 1991.
- . The use of phytogeographic data for conservation planning. Forey, P. L.; Humphries, C. J., and Vane-Wright, R. I. *Systematics and Conservation Evaluation*. Oxford, UK: Oxford University Press; 1994.
- Prendergast, J.; Wood, S. N.; Lawton, J. H., and Eversham, B. C. Correcting for variation in recording effort in analyses of diversity hotspots. *Biodiversity Letters*. 1993; 1:39-53.
- Prendergast, J. R. and Eversham, B. C. Butterfly diversity in southern Britain: Hotspot losses since 1930. *Biological Conservation*. 1995; 72(1):109-114.
- Pressey, R. L. and Bedward, M. Mapping the environment at different scales: Benefits and costs for nature conservation. Margules, C. R. and Austin, M. P. *Nature Conservation: Cost Effective Biological Surveys and Data Analysis*. Canberra: CSIRO; 1991.

- Preston, F. W. The canonical distribution of commonness and rarity. *Ecology*. 1962; 43:185-215, 410-432.
- Qian, H. Large-scale biogeographic patterns of vascular plant richness in North America: an analysis at the generic level. *Journal of Biogeography*. 1998; 25(5):829-836.
- . Spatial pattern of vascular plant diversity in North America and its floristic relationship with Eurasia. *Annals of Botany*. 1999; 83(3):271-283.
- Qian, H.; Klinka, K., and Kayahara, G. J. Longitudinal patterns of plant diversity in the North American boreal forest. *Plant Ecology*. 1998; 138(2):161-178.
- Rabenold, K. N. A revised latitudinal diversity gradient in avian communities of eastern deciduous forests. *The American Naturalist*. 1979; 114:275-286.
- Rabinovich, J. G. and Rapoport, E. H. Geographic variation of diversity in Argentine Passerine birds. *Journal of Biogeography*. 1975; 2:141-157.
- Redford, K. H.; Taber, A., and Simonetti, J. A. There is more to biodiversity than the tropical rainforest. *Conservation Biology*. 1990; 4(3):328-330.
- Reid, J. W. Latitudinal diversity patterns of continental benthic copepod species assemblages in the Americas. *Hydrobiologia*. 1994; 293:341-349.
- Reid, W. V. Biodiversity hotspots. *Trends in Ecology & Evolution*. 1998; 13(7):275-280.
- Rennolls, K. and Laumonier, Y. Analysis of species hyperdiversity in the tropical rain forests of Indonesia: the problem of non-observance. *Environmental Forest Science*. 1998; 54:355-362.
- Richardson, B. J. and McKenzie, A. M. Australia's biological collections and those who use them. *Australian Biologist*. 1992; 5:19-30.
- Ricketts, Taylor H.; Dinerstein, Eric; Olson, David M., and Loucks, Colby. Who's where in North America? Patterns of species richness and the utility of indicator taxa for conservation. *BioScience*. 1999; 49(5):369-381.
- Roberts, M. R. and Gilliam, F. S. Patterns and mechanisms of plant diversity in forested ecosystems: Implications for forest management. *Ecological Applications*. 1995; 5(4):969-977.
- Robertson, A.; Simmons, R. E.; Jarvis, A. M., and Brown, C. J. Can bird atlas data be used to estimate population size? A case study using Namibian endemics. *Biological Conservation*. 1995; 71(1):87-96.
- Ruggiero, A. Latitudinal correlates of the sizes of mammalian geographical ranges in South America. *Journal of Biogeography*. 1994; 21(5):545-559.
- Salanki, J.; Jeffrey, D., and Hughes, G. M. *Biological Monitoring of the Environment*. CAB International; 1994.
- Saxon, E. and Dudzinski, M. Biological survey and reserve design by Landsat mapped ecoclines—a catastrophe theory approach. *Australian Journal of Ecology*. 1984; 9:117-123.
- Schall, J. J. and Pianka, E. R. Geographical trends in numbers of species. *Science*. 1978; 201:679-686.
- Schleier, U. and vanBernem, K. H. Statistical methods to determine sample size for the estimation of species richness and species' abundances in benthic communities. *Archive of Fishery and Marine Research*. 1998; 46(3):205-223.

- Schoener, T. W. The geographical distribution of rarity. *Oecologia*. 1987; 74:161-173.
- Schoenly, K. G. Justo HDBarrion ATHarris MKBottrell DG. Analysis of invertebrate biodiversity in a Philippine farmer's irrigated rice field. *ENVIRONMENTAL ENTOMOLOGY*. 1998; 27(5):1125-1136 / 12; ISSN: ISI:000076639500009.
- Scott, J. M.; Jennings, M.; Wright, R. G., and Csuti, B. Landscape approaches to mapping biodiversity. *BioScience*. 1996; 46(2):77-78.
- Sheil, D. Developing tests of successional hypotheses with size-structured populations, and an assessment using long-term data from a Ugandan rain forest. *Plant Ecology*. 1999; 140(1):117-127.
- . Species richness, tropical forest dynamics and sampling: Questioning cause and effect. *Oikos*. 1996; 76(3):587-590.
- Shepherd, U. L. A comparison of species diversity and morphological diversity across the North American latitudinal gradient. *Journal of Biogeography*. 1998; 25(1):19-29.
- Sheppard, C. R. C. Biodiversity patterns in Indian Ocean corals, and effects of taxonomic error in data. *Biodiversity and Conservation*. 1998; 7(7):847-868.
- Sherman, K. Solow AJossi JKane J. Biodiversity and abundance of the zooplankton of the Northeast Shelf ecosystem. *ICES JOURNAL OF MARINE SCIENCE*. 1998; 55(4):730-738 / 9; ISSN: ISI:000076754200020.
- Silvertown, J Dodd ME Gowing DJG Mountford JO. Hydrologically defined niches reveal a basis for species richness in plant communities. *NATURE*. 1999; 400(6739):61-63 / 3; ISSN: ISI:000081255700049.
- Simmons, R. E.; Griffin, M.; Griffin, R. E.; Marais, E., and Kolberg, H. Endemism in Namibia: Patterns, processes, and predictions. *Biodiversity and Conservation*. 1998; 7(4):513-530.
- Sisk, T. D.; Launer, A. E.; Switky, K. R., and Ehrlich, P. R. Identifying extinction threats: Global analyses of the distribution of biodiversity and the expansion of the human enterprise. *BioScience*. 1994; 44(9):592-604.
- . Reassessing threats to biodiversity: Reply. *BioScience*. 1995; 45(6):380.
- Smith, P. G. R. and Theberge, J. B. Evaluating natural areas using multiple criteria: Theory and practice. *Environmental Management*. 1987; 11(4):447-460.
- . A review of criteria for evaluating natural areas. *Environmental Management*. 1986; 10:715-734.
- Smith, W. and Grassle, J. F. Sampling properties of diversity measures. *Biometris*. 1977; 33:283-292.
- Snelgrove, P. V. R. The biodiversity of macrofaunal organisms in marine sediments. *Biodiversity and Conservation*. 1998; 7(9):1123-1132.
- Soberon, J Rodriguez P Vazquez-Dominguez E. Implications of the hierarchical structure of biodiversity for the development of ecological indicators of sustainable use. *AMBIO*. 2000; 29(3):136-142 / 7; ISSN: ISI:000087670400004.
- Solow, A. R. Estimating biodiversity - Calculating unseen richness. *Oceanus*. 1995; 38(2):9-10.
- Southwood, T. R. E. Habitat, the templet for ecological strategies? *Journal of Animal Ecology*. 1977; 46:337-365.
- . Tactics, strategies, and templets. *Oikos*. 1988; 52:3-18.

- Spellerberg, I. F. Biogeographic basis of conservation. Spellerberg, I. F.; Goldsmith, F. B., and Morris, M. G. *The Scientific Management of Temperate Communities for Conservation*. Oxford: Blackwell Scientific Publications; 1991.
- Stohlgren, T. J.; Bull, K. A., and Otsuki, Y. Comparison of rangeland vegetation sampling techniques in the central grasslands. *Journal of Range Management*. 1998; 51(2):164-172.
- Stohlgren, T. J.; Chong, G. W.; Kalkhan, M. A., and Schell, L. D. Rapid assessment of plant diversity patterns: a methodology for landscapes. *Environmental Monitoring & Assessment*. 1997; 48(1):25-43.
- Stohlgren, T. J.; Quinn, J. F.; Ruggiero, M., and Waggoner, G. S. Status of biotic inventories in US National Parks. *Biological Conservation*. 1995; 71(1):97-106.
- Stoms, D. Scale dependence of species richness maps. *Professional Geographer*. 1994; 46:346-358.
- Stoms, D.; Davis, F., and Cogan, C. Sensitivity of wildlife habitat models to uncertainties in GIS data. *Photogrammetric Engineering and Remote Sensing*. 1992; 58:843-850.
- Stork, N. E. Insect diversity: Facts, fiction and speculation. *Biological Journal of the Linnean Society*. 1988; 35:321-337.
- . Inventories of biodiversity: More than a question of numbers. Forey, P. L.; Humphries, C. J., and Vane-Wright, R. I. *Systematics and Conservation Evaluation*. Oxford, UK: Oxford University Press; 1994.
- . Inventorying and monitoring biodiversity. *Trends in Ecology & Evolution*. 1996; 11(1):39-40.
- Stork, N. E. and Gaston, K. Counting species one by one. *New Scientist*. 1990; 127:31-35.
- Sudman, S.; Sirken, M. G., and Corvan, C. D. Sampling rare and elusive populations. *Science*. 1988; 240:991-995.
- Sutton, P. *Developing a Method for Biodiversity Auditing*. Melbourne: Green Innovations; 1995.
- Tackaberry, R.; Brokaw, N.; Kellman, M., and Mallory, E. Estimating species richness in tropical forests: The missing species extrapolation technique. *Journal of Tropical Ecology*. 1997; 13(3):449-458.
- Tangley, L. Cataloging Costa Rica's diversity. *BioScience*. 1990; 40:633-636.
- . Conservation international lessons for the field: Mapping biodiversity. *Colorado Journal of International Law and Environmental Policy*. 1993; 4(2):392-433.
- Thiollay, J. M. Structure, density and rarity in an Amazonian rainforest bird community. *Journal of Tropical Ecology*. 1994; 10(4):449-481.
- Thirgood, S. J. and Heath, M. F. Global patterns of endemism and the conservation of biodiversity. Forey, P. L.; Humphries, C. J., and Vane-Wright, R. I. *Systematics and Conservation Evaluation*. Oxford, UK: Oxford University Press; 1994.
- Thomas, C. D. and Abery, J. C. G. Estimating rates of butterfly decline from distribution maps: The effects of scale. *Biological Conservation*. 1995; 73(1):59-66.
- Thomas, C. D. and Mallorie, H. C. Rarity, species richness and conservation: Butterflies of the Atlas Mountains in Morocco. *Biological Conservation*. 1985; 33:95-117.

- Thomas, J. D. Biological monitoring and tropical biodiversity in marine environments: A critique with recommendations and comments on the use of amphipods as bioindicators. *Journal of Natural History*. 1993; 27(4):795-806.
- Tuomisto, H. What satellite imagery and large-scale field studies can tell about biodiversity patterns in Amazonian forests. *Annals of the Missouri Botanical Gardens*. 1998; 85(1)48-62.
- Turner, I. M.; Wong, Y. K.; Chew, P. T., and Binlbrahim, A. Rapid assesment of tropical forest successional status using aerial photographs. *Biological Conservation*. 1996; 77(2-3):177-183.
- Turner, J. R. G.; Gatehouse, C. M., and Corey, C. A. Does solar energy control organic diversity? Butterflies, moths and the British climate. *Oikos*. 1987; 48195-205.
- Turner, J. R. G.; Lennon, J. J., and Lawrenson, J. A. British bird species distributions and the energy theory. *Nature*. 1988; 335539-541.
- Udvardy, M. D. F. *Dynamic Zoogeography*. New York: Van Norstand Reinhold; 1969.
- Usher, M. B. Scientific requirements of a monitoring program. Goldsmith, F. B. *Monitoring for Conservation and Ecology*. New York: Chapman and Hall; 1991.
- van der Spoel, S. Assessment of biodiversity: The impact of biovariability. *INDIAN JOURNAL OF MARINE SCIENCES*. 1999; 28(2):109-115 / 7; ISSN: ISI:000081691300002.
- van Jaarsveld, A. S.; Freitag, S.; Chown, S. L.; Muller, C.; Koch, S.; Hull, H.; Bellamy, C.; Kruger, M.; Endrody-Younga, S.; Mansell, M. W., and Scholtz, C. H. Biodiversity assessment and conservation strategies. *Science*. 1998; 2792106-2108.
- Vazquez, J. A. and Givnish, T. J. Altitudinal gradients in tropical forest composition, structure, and diversity in the Sierra de Manantlan. *Journal of Ecology*. 1998; 86(6)999-1020.
- Villasenor, J. L.; Ibarra, G., and Ocana, D. Strategies for the conservation of asteraceae in Mexico. *Conservation Biology*. 1998; 12(5)1066-1075.
- Walker, P. A. Modelling wildlife distributions using a geographic information system: Kangaroos in relation to climate. *Journal of Biogeography*. 1990; 17279-289.
- Walpole, M. J. and Sheldon, I. R. Sampling butterflies in tropical rainforest: an evaluation of a transect walk method. *Biological Conservation*. 1999; 87(1)85-91.
- Warnock, N.; Haig, S. M., and Oring, L. W. Monitoring species richness and abundance of shorebirds in the western Great Basin. *Condor*. 1998; 100(4)589-600.
- Weiher, E. and Boylen, C. W. Patterns and prediction of alpha and beta diversity of aquatic plants in Adirondack (New York) lakes. *Canadian Journal of Botany*. 1994; 72(12):1797-1804.
- Wessels, K. J.; VanJaarsveld, A. S.; Grimbeek, J. D., and VanderLinde, M. J. An evaluation of the gradsect biological survey method. *Biodiversity and Conservation*. 1998; 7(8)1093-1121.
- Whitehead, P. J.; Bowman, D. M. J. S., and Tidemann, S. C. Biogeographic patterns, environmental correlates and conservation of avifauna in the Northern Territory, Australia. *Journal of Biogeography*. 1992; 19151-161.
- Whittaker, R. H. Niche, habitat, and ecotope. *The American Naturalist*. 1973; 107321-338.

- . Vegetation of the Great Smoky Mountains. *Ecological Monographs*. 1956; 261-80.
- Whittaker, R. M. Vegetation of the Siskiyou Mountains, Oregon and California. *Ecological Monographs*. 1960; 30279-338.
- Williams, D. C. Area and number of species. *Nature*. 1943; 152264-267.
- Williams, P.; Gibbons, D.; Margules, C.; Rebelo, A.; Humphries, C., and Pressey, R. A comparison of richness hotspots, rarity hotspots, and complementary areas for conserving diversity of British birds. *Conservation Biology*. 1996; 10(1):155-174.
- Williams, P. H. and Gaston, K. J. Measuring more of biodiversity: Can higher-taxon richness predict wholesale species richness? *Biological Conservation*. 1994; 67211-217.
- Williams, P. H. and Humphries, C. J. Comparing character diversity among biotas. Gaston, K. J. *Biodiversity: A Biology of Numbers and Differences*. Oxford, UK: Oxford University Press; in press.
- Williams, P. H.; Humphries, C. J., and Gaston, K. J. Centres of seed-plant diversity: The family way. *Proceedings of the Royal Society of London Series B - Biological Sciences*. 1994; 25667-70.
- Willig, M. R. and Selcer, K. W. Bat species density gradients in the New World: A statistical assessment. *Journal of Biogeography*. 1989; 16189-195.
- Willis, C. K.; Cowling, R. M., and Lombard, A. T. Patterns of endemism in the limestone flora of South African lowland fynbos. *Biodiversity and Conservation*. 1996; 5(1):55-74.
- Wilson, J. B.; Gitay, H.; Steel, J. B., and King, W. M. Relative abundance distributions in plant communities: effects of species richness and of spatial scale. *Journal of Vegetation Science*. 1998; 9(2):213-220.
- Woodman, N. A.; Slade; Timm, R. M., and Schmidt, C. A. Mammalian community structure in lowland, tropical Peru, as determined by removal trapping. *Zoological Journal of the Linnean Society*. 1995; 113(1):1-20.
- Woodward, F. I. *Climate and Plant Distribution*. Cambridge: Cambridge University Press; 1987.
- World Conservation Monitoring Centre. *Global Biodiversity: Status of the Earth's Living Resources*. London: Chapman and Hall; 1992.
- Yen, A. L. A preliminary assessment of the correlation between plant, vertebrate and Coleoptera communities in the Victorian mallee. Majer, J. *The Role of Invertebrates in Conservation and Biological Survey*. Perth: Dept. of Conservation and Land Management; 1987.
- Yeo, M. J. M.; Blackstock, T. H., and Stevens, D. P. The use of phytosociological data in conservation assessment: a case study of lowland grasslands in mid Wales. *Biological Conservation*. 1998; 86(2):125-138.
- Yorks, T. E. and Dabydeen, S. Modification of the Whittaker Sampling Technique to assess plant diversity in forested natural areas. *Natural Areas Journal*. 1998; 18(2):185-189.
- Ziv, Y. The effect of habitat heterogeneity on species diversity patterns: a community-level approach using an object-oriented landscape simulation model (SHALOM). *Ecological Modelling*. 1998; 111(2-3):135-170.