

Reference List

RESERVE SELECTION AND GAP ANALYSIS

- Allen Craig R [a]; Pearlstine L G, and Kitchens W M. Modeling viable mammal populations in gap analyses. *Biological Conservation*. 2001; 99(2):135-144.
- Allen, L. Plugging the gaps. *Nature Conservancy*. 1992; 42(5):8-9.
- Ando, A.; Camm, J.; Polasky, S., and Solow, A. Species distributions, land values, and efficient conservation. *Science*. 1998; 279:2126-2128.
- Armstrong, A. J. and vanHensbergen, H. J. Identification of priority regions for animal conservation in affordable montane grasslands of the northern Eastern Cape Province, South Africa. *Biological Conservation*. 1999; 87(1):93-103.
- Arthur, J. L.; Hachey, M.; Sahr, K.; Huso, M., and Kiester, A. R. Finding all optimal solutions to the reserve site selection problem: Formulation and computational analysis. *Environmental and Ecological Statistics*. 1997; 4:153-165.
- Austin, M. P. and Margules, C. R. Assessing representativeness. Usher, M. B. *Wildlife Conservation Evaluation*. London: Chapman and Hall; 1986.
- Awimbo, J. A.; Norton, D. A., and Overmars, F. B. An evaluation of representativeness for nature conservation, Hokitika Ecological District, New Zealand. *Biological Conservation*. 1996; 75(2):177-186.
- Ayres, J. M.; Bodmer, R. E., and Mittermeier, R. A. Financial considerations of reserve design in countries with high primate diversity. *Conservation Biology*. 1991; 5(1):109-114.
- Barker, P. C. J.; Wardlaw, T. J., and Brown, M. J. Selection and design of Phytophthora management areas for the conservation of threatened flora in Tasmania. *Biological Conservation*. 1996; 76(2):187-193.
- Bedward, M.; Pressey, R. L., and Keith, D. A. A new approach for selecting fully representative reserve networks: Addressing efficiency, reserve design and land suitability with an iterative analysis. *Biological Conservation*. 1992; 62:115-125.
- Bedward, M.; Pressey, R. L., and Nicholls, A. O. Score and score classes for evaluation criteria: A comparison based on the cost of reserving all natural features. *Biological Conservation*. 1991; 56(3):281-294.
- Belbin, L. Environmental representativeness, regional partitioning and reserve selection. *Biological Conservation*. 1993; 66:223-230.
- Bibby, C. J.; Collar, N. J.; Crosby, M. J.; Heath, M. F.; Imboden, C.; Johnson, T. H.; Long, A. J.; Stattersfield, A. J., and Thirgood, S. J. *Putting Biodiversity on the Map: Priority Areas for Global Conservation*. Cambridge: International Council for Bird Preservation; 1992.
- Bojorqueztapia, L. A.; Azuara, I.; Ezcurra, E., and Floresvillera, O. Identifying conservation priorities in Mexico through geographic information systems and modeling. *Ecological Applications*. 1995; 5(1):215-231.
- Braithwaite, W.; Belbin, L.; Ive, J., and Austin, M. Land use allocation and biological conservation in Batemans Bay forests of New South Wales. *Australian Forestry*. 1993; 56:4-21.
- Camm, J. D.; Polasky, S.; Solow, A., and Csuti, B. A note on optimal algorithms for reserves site selection. *Biological Conservation*. 1996; 78:353-355.

- Chatterjee, S. Global 'hotspots' of biodiversity. *Current Science*. 1995; 68(12):1178-1180.
- Church, R. L.; Stoms, D. M., and Davis, F. W. Reserve selection as a maximal covering location problem. *Biological Conservation*. 1996; 76(2):105-112.
- Cocks, K. D. and Baird, I. A. Using mathematical programming to address the multiple reserve selection problem: An example from the Eyre Peninsula, South Australia. *Biological Conservation*. 1989; 49:113-130.
- Csuti, B. Gap analysis: Mapping biodiversity for conservation and management. *Endangered Species Update*. 1994; 11(5):1-4.
- Curtin, C. G. The evolution of the U.S. National Wildlife Refuge System and the doctrine of compatibility. *Conservation Biology*. 1993; 7:29-38.
- Davis, F. W. and Stoms, D. M. Gap analysis of biodiversity in California. *Proceedings of the Symposium on Biodiversity of Northwestern California*. 1991; pp. 1-7.
- Davis, F. W.; Stoms, D. M.; Church, R. L.; Okin, W. J., and Johnson, K. N. Selecting biodiversity management areas. *Sierra Nevada Ecosystem Project: Final Report to Congress*. 2 ed. University of California, Davis: Centers for Water and Wildland Resources; 1996; pp. 1503-1528.
- Debinski, D. M. Kindscher KJakubauskas ME. A remote sensing and GIS-based model of habitats and biodiversity in the Greater Yellowstone Ecosystem. *INTERNATIONAL JOURNAL OF REMOTE SENSING*. 1999; 20(17):3281-3291 / 11; ISSN: ISI:000083238900005.
- Diamond, A. W. The selection of critical areas and current conservation efforts in tropical forest birds. Diamond, A. W. and Lovejoy, T. W. *Conservation of Tropical Forest Birds*. Cambridge, England: International Council for Bird Preservation; 1985.
- Dinerstein, E. and Wikramanayake, E. Beyond 'hotspots': How to prioritize investments in biodiversity in the Indo-Pacific region. *Conservation Biology*. 1992; 7:53-65.
- Dinerstein, E. et al. *A Conservation Assessment of the Terrestrial Ecoregions of Latin America and the Caribbean*. Washington, DC: WWF; 1995.
- Downs, B. T. and Camm, J. D. An exact algorithm for the maximal covering problem. *Naval Research Logistics*. 1996; 43:435-461.
- Duever, L. C. and Noss, R. F. A computerized method of priority ranking for natural areas. Mitchell, R. S. *Ecosystem Management: Rare Species and Significant Habitats*. New York: New York State Museum Bulletin 471; 1990; pp. 22-33.
- Fall, J. J. Transboundary biosphere reserves: a new framework for cooperation. *Environmental Conservation*. 2000; 26:252-255.
- Ferrier, S.; Pressey, R. L., and Barrett, T. W. A new predictor of the irreplaceability of areas for achieving a conservation goal, its application to real-world planning, and a research agenda for further refinement. *Biological Conservation*. 2000; 93:303-325.
- Flather, C. H.; Wilson, K. R.; Dean, D. J., and McComb, W. C. Identifying gaps in conservation networks: Of indicators and uncertainty in geographic-based analyses. *Ecological Applications*. 1997; 7(2):531-542.
- Freitag, S.; Nicholls, A. O., and Van Jaarsveld, A. S. Nature reserve selection in the Transvaal, South Africa: What data should we be using? *Biodiversity and Conservation*. 1996; 5(6):685-698.

- Freitag, S.; vanJaarsveld, A. S., and Biggs, H. C. Ranking priority biodiversity areas: An iterative conservation value-based approach. *Biological Conservation*. 1997; 82(3):263-272.
- Game, M. and Peterken, G. F. Nature reserve selection strategies in the woodlands of central Lincolnshire, England. *Biological Conservation*. 1984; 29:157-181.
- Givens, D. R. and Norton, D. A. A multivariate approach to assessing threat and priority setting in threatened species conservation. *Conservation Biology*. 1993; 64(1):57-66.
- Groves, C. Beyond endangered species: Gap analysis. *Idaho Wildlife*. 1992; 26-27.
- Haight, R. G. and Travis, L. E. Wildlife conservation planning using stochastic optimization and importance sampling. *Forest Science*. in press.
- Hof, J. G. and Joyce, L. A. A mixed integer linear programming approach for spatially optimizing wildlife and timber in managed forest ecosystems. *Forest Science*. 1993; 39:816-834.
- Hof, J. G. and Raphael, M. G. Some mathematical programming approaches for optimizing timber age-class distributions to meet multispecies wildlife population objectives. *Canadian Journal of Forestry Research*. 1993; 23:828-834.
- Hull, H. E.; Freitag, S.; Chown, S. L., and Bellamy, C. L. Identification and evaluation of priority conservation areas for Buprestidae (Coleoptera) in South Africa, Lesotho, Swaziland and Namibia. *African Entomology*. 1998; 6(2):265-274.
- Humphries, C. J.; Margules, C. R.; Pressey, R. L., and Vane-Wright, R. I. *Priority Area Analysis: Systematic Methods for Conserving Biodiversity*. Oxford: Oxford University Press; 1996.
- Hunter, M. L. Coping with ignorance: The coarse-filter strategy for maintaining biodiversity. Kohm, K. A. *Balancing on the Brink of Extinction: The Endangered Species Act and Lessons for the Future*. Washington, DC: Island Press; 1991.
- Hunter, M. L.; Jacobson, G. L., and Webb, T. Paleocology and the coarse-filter approach to maintaining biological diversity. *Conservation Biology*. 1988; 2:375-385.
- IUCN. *Guidelines for Protected Area Management Categories*. Cambridge: World Conservation Monitoring Centre; 1994.
- Jennings, M. D. Gap analysis today: A confluence of biology, ecology, and geography for management of biological resources. *Wildlife Society Bulletin*. 1995; 23(4):658-662.
- Jennings, M. D. and Scott, J. M. Building a microscope: How well do places managed for biodiversity match reality? *Renewable Resources Journal*. 1993; 11(2):16-20.
- Kershaw, M.; Williams, P. H., and Mace, G. C. Conservation of Afrotropical antelopes: Consequences and efficiency of using different site selection methods and biodiversity criteria. *Biodiversity and Conservation*. 1994; 3:354-372.
- Kirkpatrick, J. B. An iterative method for establishing priorities for the selection of nature reserves: An example for Tasmania. *Biological Conservation*. 1983; 25:127-134.
- Kirkpatrick, J. B. and Brown, M. J. A comparison of direct and environmental domain approaches to planning reservation of forest higher plant communities and species in Tasmania. *Conservation Biology*. 1994; 8(1):217-224.

- Kitching, I. J. Identifying complementary areas for conservation in Thailand: An example using owls, hawkmoths and tiger beetles. *Biodiversity and Conservation*. 1996; 5(7):841-858.
- Lefkovitch, L. P. *Optimal Set Coverage for Biological Classification*. Ottawa: Canada Communication Group - Publishing; 1993.
- Llewellyn, D. W.; Shaffer, G. P.; Craig, N. J.; Creasman, L.; Pashley, D.; Swan, M., and Brown, C. A decision-support system for prioritizing restoration sites on the Mississippi river alluvial plain. *Conservation Biology*. 1996; 10(5):1446-1455.
- Lockwood, M.; Bos, D. G., and Glazebrook, H. Integrated protected area selection in Australian biogeographic regions. *Environmental Management*. 1997; 21(3)395-404.
- Lombard, A. T. Multi-species conservation, advanced computer architecture and GIS: Where are we today? *South African Journal of Science*. 1993; 89:415-418.
- . The problems with multi-species conservation: Do hotspots, ideal reserves and existing reserves coincide. *South African Journal of Zoology*. 1995; 30:145-164.
- Lombard, A. T.; August, P. V., and Siegfried, W. R. A proposed geographic information system for assessing the optimal dispersion of protected areas in South Africa. *South African Journal of Science*. 1992; 88:136-140.
- Lombard, A. T.; Cowling, R. M., and Pressey, R. L. Reserve selection in a species-rich and fragmented landscape on the Agulhas Plain, South Africa. *Conservation Biology*. 1997; 11:1101-1116.
- Lombard, A. T.; Nicholls, A. O., and August, P. V. Where should nature reserves be located in South Africa? A snakes perspective. *Conservation Biology*. 1995; 9(2):363-372.
- Lomolino, M. V. and Creighton, J. C. Habitat selection, breeding success and conservation of the endangered American burying beetle *Nicrophorus americanus*. *Biological Conservation*. 1996; 77(2-3):235-242.
- Lomolino, M. W. An evaluation of alternative strategies for building networks of nature reserves. *Unknown*. 1994; 69(3):243-249.
- Machlis, G. E.; Forest, D. J., and McKendry, J. E. Gap analysis and national parks: Adding the socioeconomic dimension. *Park Science*. 1994; 14(1):6-10.
- Machlis, G. E.; Scott, J. M.; Forester, D. J., and Cogan, C. B. The application of gap analysis to decision making in the U.S. National Wildlife Refuge System. 1994.
- Mackey, B. G.; Nix, H. A.; Hutchinson, M. F.; MacMahon, J. P., and Fleming, P. M. Assessing representativeness of places for conservation reservation and heritage listing. *Environmental Management*. 1988; 12(4):501-514.
- Mackey, B. G.; Nix, H. A.; Stein, J. A.; Cork, S. E., and Bullen, F. T. Assessing the representativeness of the wet tropics of Queensland World Heritage Property. *Biological Conservation*. 1989; 50:279-303.
- Mann, C. C. Filling in Florida's gaps: Species protection done right? *Science*. 1995; 269:318-320.
- Margules, C. and Usher, M. B. Criteria used in assessing wildlife conservation potential: A review. *Biological Conservation*. 1981; 21:79-109.
- Margules, C. R. Introduction to some Australian developments in conservation evaluation. *Biological Conservation*. 1989; 50:1-11.

- Margules, C. R.; Cresswell, I. D., and Nicholls, A. O. A scientific basis for establishing networks of protected areas. Forey, P. L.; Humphries, C. J., and Vane-Wright, R. I. Systematics and Conservation Evaluation. Oxford, UK: Oxford University Press; 1994.
- Margules, C. R.; Higgs, A. J., and Rafe, R. W. Modern biogeographic theory: Are there any lessons for nature reserve design? *Biological Conservation*. 1982; 24:115-128.
- Margules, C. R. and Nicholls, A. O. Assessing the conservation value of remnant habitat 'islands': Mallee patches on the western Eyre Peninsula, South Australia. Sanders, D. A.; Arnold, G. W.; Burnidge, A. A., and Hopkins, A. J. M. Nature Conservation: the Role of Remnants of Native Vegetation. Chipping Norton, NSW: Surrey Beatty & Sons, in association with CISRO and CALM; 1987.
- . Where should nature reserves be located? Moritz, C.; Kikkawa, J., and Doley, D. Conservation Biology in Australia and Oceania. Chipping Norton, New South Wales: Surrey Beatty; 1994.
- Margules, C. R.; Nicholls, A. O., and Pressey, R. L. Selecting networks of reserves to maximize biological diversity. *Biological Conservation*. 1988; 43:63-76.
- Margules, C. R.; Nicholls, A. O., and Usher, M. B. Apparent species turnover, probability of extinction and the selection of nature reserves: A case study of the Ingleborough limestone pavements. *Conservation Biology*. 1994; 8:398-409.
- Margules, C. R.; Pressey, R. L., and Nicholls, A. O. Selecting nature reserves. Margules, C. R. and Austin, M. P. Nature Conservation: Cost Effective Biological Surveys and Data Analysis. Canberra: CSIRO; 1991.
- Margules, C. R. and Stein, J. L. Patterns in the distribution of species and the selection of nature reserves: An example for the eucalyptus forests in South-Eastern New South Wales. *Biological Conservation*. 1989; 50:219-238.
- Master, L. L. Assessing threats and setting priorities for conservation. *Conservation Biology*. 1991; 5:559-563.
- May, R. M. Taxonomy as destiny. *Nature*. 1990; 347:129-130.
- McGeoch, M. A. The selection, testing, and application of terrestrial insects as bioindicators. *Biological Reviews of the Cambridge Philosophical Society*. 1998; 73(2):181-201.
- McKendry, J. E. and Machlis, G. E. The role of geography in extending biodiversity gap analysis. *Applied Geography*. 1993; 13:135-152.
- McKenzie, N. L.; Belbin, L.; Margules, C. R., and Keighery, G. J. Selecting representative reserve systems in remote areas: A case study in the Nullarbor Region, Australia. *Biological Conservation*. 1989; 50:239-261.
- Menon Shaily; Pontius R Gil, Jr; Rose Joseph; Khan M L, and Bawa Kamaljit S [a]. Identifying conservation-priority areas in the tropics: A land-use change modeling approach. *Conservation Biology*. 2001 Apr; [print] 15(2):501-512.
- Nantel, P.; Bouchard, A., and Brouillet, L. Selection of areas for protecting rare plants with integration of land use conflicts: a case study for the west coast of Newfoundland, Canada. *Biological Conservation*. 1998; 84(3):223-234.
- Nicholls, A. O. and Margules, C. R. An upgraded reserve selection algorithm. *Biological Conservation*. 1993; 67:411-37.
- Noss, R. F. A bioregional conservation plan for the Oregon Coast Range. *Natural Areas Journal*. 1993; 13:276-290.

- . A regional landscape approach to maintain diversity. *BioScience*. 1983; 33700-706.
- Peters, R. L. and Darling, J. D. S. The greenhouse effect and nature reserves. *BioScience*. 1985; 35707-717.
- Pimm, S. L. and Lawton, J. H. Planning for biodiversity. *Science*. 1998; 2792068-2069.
- Poiani Karen A [a]; Merrill Michael D, and Chapman Kim A. Identifying conservation-priority areas in a fragmented Minnesota landscape based on the umbrella species concept and selection of large patches of natural vegetation. *Conservation Biology*. 2001 Apr; [print] 15(2)513-522.
- Polasky, S. and Solow, A. Conserving biological diversity with scarce resources. Klopatek, J. and Gardner, R. *Landscape Ecological Analysis: Issues and Applications*. New York: Springer-Verlag; 1999; pp. 154-174.
- . The value of information in reserve site selection. *Biodiversity and Conservation*. submitted.
- Possingham, H.; Day, J.; Goldfinch, M., and Salzborn, F. The mathematics of designing a network of protected areas for conservation. Sutton, D.; Cousins, E., and Pearce, C. *Proceedings of the 12th Australian Operations Research Conference*. Adelaide: University of Adelaide; 1993.
- Povilitis, T. Applying the biosphere reserve concept to a greater ecosystem: The San Juan Mountain area of Colorado and New Mexico. *Natural Areas Journal*. 1993; 1318-28.
- Powell, G. V. N.; Barborak, J., and Rodriguez, S. Assessing representativeness of protected natural areas in Costa Rica or conserving biodiversity: a preliminary gap analysis. *Biological Conservation*. 2000; 9335-41.
- Prendergast, J. R.; Quinn, R. M.; Lawton, J. H.; Eversham, B. C., and Gibbons, D. W. Rare species, the coincidence of diversity hotspots and conservation strategies. *Nature*. 1993; 365335-337.
- Pressey, R. L. Ad hoc reservations: Forward or backward steps in developing representative reserve systems? *Conservation Biology*. 1994; 8662-668.
- . Conservation reserves in NSW: Crown jewels or leftovers. *Search*. 1995; 2647-51.
- . Reserve selection in New South Wales: Where to from here? *Australian Zoologist*. 1990; 2670-75.
- Pressey, R. L.; Bedward, M., and Keith, D. A. New procedures for reserve selection in New South Wales: Maximizing the chances of achieving a representative network. Forey, P. L.; Humphries, C. J., and Vane-Wright, R. I. *Systematics and Conservation Evaluation*. Oxford, UK: Oxford University Press; 1994.
- Pressey, R. L.; Ferrier, S.; Hutchinson, C. D.; Silversten, D. P., and Manion, G. Planning for negotiation: Using an interactive geographic information system to explore alternative protected area networks. Suanders, D. *Nature Conservation: the Role of Networks*. Sydney: Surrey Beatty; 1995.
- Pressey, R. L.; Humphries, C. J.; Margules, C. R.; Vane-Wright, R. I., and Williams, P. H. Beyond opportunism: Key principles for systematic reserve selection. *Trends in Ecology & Evolution*. 1993; 8(4):124-128.
- Pressey, R. L.; Johnson, I. R., and Wilson, P. D. Shades of irreplaceability: Toward a measure of the contribution of sites to a reservation goal. *Biodiversity and Conservation*. 1994; 3(3):242-262.
- Pressey, R. L. and Logan, V. S. Reserve coverage and requirements in relation to partitioning and generalization of land classes: Analyses for western New South Wales. *Conservation Biology*. 1995; 91506-1517.

- . Size of selection units for future reserves and its influence on actual vs targeted representation of features: a case study in western New South Wales. *Biological Conservation*. 1998; 85(3):305-319.
- Pressey, R. L. and Nicholls, A. O. Application of a numerical algorithm to the selection of reserves in semi-arid New South Wales. *Biological Conservation*. 1989; 50:263-278.
- . Efficiency in conservation evaluation: Scoring versus iterative approaches. *Biological Conservation*. 1989; 50:199-218.
- . Reserves selection in the Western Division of New South Wales: Development of a new procedure based on land system mapping. Margules, C. R. and Austin, M. P. *Cost Effective Biological Surveys and Analysis*. Melbourne: CSIRO; 1991; pp. 98-105.
- Pressey, R. L.; Possingham, H. P., and Day, J. R. Effectiveness of alternative heuristic algorithms for identifying indicative minimum requirements for conservation reserves. *Biological Conservation*. 1997; 80:207-219.
- Pressey, R. L.; Possingham, H. P., and Margules, C. R. Optimality in reserve selection algorithms: When does it matter and how much? *Biological Conservation*. 1996; 76(3):259-267.
- Pressey, R. L. and Tully, S. L. The cost of ad hoc reservation: A case study in Western New South Wales. *Australian Journal of Ecology*. 1994; 19:375-384.
- Purdie, R. W. Selection of key area networks for regional nature conservation - The revised Bolton and Specht method. *Proceedings of the Royal Society of Queensland*. 1987; 98:59-71.
- Purdie, R. W.; Blick, R., and Bolton, M. P. Selection of a conservation reserve network in the Mulga biogeographic region of South-Western Queensland, Australia. *Biological Conservation*. 1987; 38:369-384.
- Ramesh, B. R.; Menon, S., and Bawa, K. S. A vegetation based approach to biodiversity gap analysis in the Agastymalai region, Western Ghats, India. *Ambio*. 1997; 26(8):529-536.
- Rebelo, A. G. Using the proteaceae to design a nature reserve network and determine conservation priorities for the Cape Floristic region. Forey, P. L.; Humphries, C. J., and Vane-Wright, R. I. *Systematics and Conservation Evaluation*. Oxford, UK: Oxford University Press; 1994.
- Rebelo, A. G. and Siegfried, W. R. Where should nature reserves be located in the Cape Floristic Region, South Africa? Models for the spatial configuration of a reserve network aimed at maximizing the protection of floral diversity. *Conservation Biology*. 1992; 6:243-252.
- Reid, W. V. Biodiversity hotspots. *Trends in Ecology & Evolution*. 1998; 13(7):275-280.
- Ryti, R. T. Effect of the focal taxon on the selection of nature reserves. *Ecological Applications*. 1992; 2:404-410.
- Saetersdal, M.; Line, J. M., and Birks, H. J. B. How to maximize biological diversity in nature reserve selections: Vascular plants and breeding birds in deciduous woodlands, Western Norway. *Biological Conservation*. 1993; 66:131-138.
- Scott, J. M.; Csuti, B., and Caicco, S. Gap analysis: Assessing protection needs. Hudson, W. E. *Landscape Linkages and Biodiversity*. Washington, DC: Defenders of Wildlife and Island Press; 1991.
- Scott, J. M.; Csuti, B., and Davis, F. Gap analysis: An application of geographic information systems for wildlife species. Decker, D. J.; Krasny, M. E.; Goff, G. R.; Smith, C. R., and Gross, D. W. *Challenges in the Conservation of Biological Resources: A Practitioner's Guide*. Boulder, CO: Westview Press; 1991.

- Scott, J. M.; Csuti, B.; Jacobi, J. D., and Estes, J. E. Species richness: A geographic approach to protecting future biological diversity. *BioScience*. 1987; 37782-788.
- Scott, J. M.; Csuti, B.; Smith, K.; Estes, J. E., and Caicco, S. Gap analysis of species richness and vegetation cover: An integrated biodiversity conservation strategy. Kohm, K. A. *Balancing on the Brink of Extinction: The Endangered Species Act and Lessons for the Future*. Washington, DC: Island Press; 1991.
- Scott, J. M.; Davis, F.; Csuti, B.; Noss, R.; Butterfield, B.; Groves, C.; Anderson, H.; Ciacco, S.; D'Erichis, F.; Edwards, T. C. Jr.; Ulliman, J., and Wright, R. G. Gap analysis: A geographic approach to protection of biological diversity. *Wildlife Monograph No. 123*. The Wildlife Society 1993.
- Scott, J. M. and Jennings, M. D. Large-area mapping of biodiversity. *Annals of the Missouri Botanical Gardens*. 1998; 85(1)34-47.
- Scott, J. M.; Tear, T. H., and Davis, F. W. *Gap Analysis: A Landscape Approach to Biodiversity Planning*. Bethesda, MD: American Society for Photogrammetry and Remote Sensing; 1996.
- Siegfried, W. R. Preservation of species in Southern African nature reserves. Huntley, B. J. *Biotic Diversity in Southern Africa*. Cape Town, South Africa: Oxford University Press; 1989.
- Simberloff, D. Review of Theory Relevant to Acquiring Land. Tallahassee, FL: Report to Florida Department of Natural Resources, Florida State University; 1991.
- Soule, M. E. and Sanjayan, M. A. Conservation targets: Do they help? *Science*. 1998; 2792060-2061.
- Specht, R. L.; Roe, E. M., and Boughton, V. H. Conservation of major plant communities in Australia and Papua New Guinea. *Australian Journal of Botany*. 1974.
- Stokland, J. N. Representativeness and efficiency of bird and insect conservation in Norwegian boreal forest reserves. *Conservation Biology*. 1997; 11(1):101-111.
- Stoms, D. M.; Davis, F. W.; Driese, K. L.; Cassidy, K. M., and Murray, M. P. Gap analysis of the vegetation of the Intermountain Semi-Desert ecoregion. *Great Basin Naturalist Memoirs*. 1998; 58(3)199-216.
- Terborgh, J. and Winter, B. A method for siting parks and reserves with special reference to Columbia and Ecuador. *Biological Conservation*. 1983; 2745-58.
- TerSteege, H. The use of forest inventory data for a National Protected Area Strategy in Guyana. *Biodiversity and Conservation*. 1998; 7(11)1457-1483.
- Turpie, J. K. Prioritizing South African estuaries for conservation: A practical example using waterbirds. *Biological Conservation*. 1995; 74(3):175-186.
- Underhill, L. G. Optimal and suboptimal reserve selection algorithms. *Biological Conservation*. 1994; 7085-87.
- Van Jaarsveld, A. S. Where to with reserve selection and conservation planning? *South African Journal of Zoology*. 1995; 30164-168.
- van Jaarsveld, A. S.; Freitag, S.; Chown, S. L.; Muller, C.; Koch, S.; Hull, H.; Bellamy, C.; Kruger, M.; Endrody-Younga, S.; Mansell, M. W., and Scholtz, C. H. Biodiversity assessment and conservation strategies. *Science*. 1998; 2792106-2108.
- Vanderklift, M. A.; Ward, T. J., and Phillips, J. C. Use of assemblages derived from different taxonomic levels to select areas for conserving marine biodiversity. *Biological Conservation*. 1998; 86(3)307-315.

- Vane-Wright, R. I.; Humphries, C. J., and Williams, P. H. What to protect? -- Systematics and the agony of choice. *Biological Conservation*. 1991; 55:235-254.
- Wessels, K. J.; Freitag, S., and vanJaarsveld, A. S. The use of land facets of biodiversity surrogates during reserve selection at a local scale. *Biological Conservation*. 1999; 89(1):21-38.
- Wessels, K. J.; VanJaarsveld, A. S.; Grimbeek, J. D., and VanderLinde, M. J. An evaluation of the gradsect biological survey method. *Biodiversity and Conservation*. 1998; 7(8):1093-1121.
- Wessels, K. J. Freitag Svan Jaarsveld AS. The use of land facets as biodiversity surrogates during reserve selection at a local scale. *BIOLOGICAL CONSERVATION*. 1999; 89(1):21-38 / 18; ISSN: ISI:000078819000003.
- Whitehouse, J. F. Conserving what? The basis for nature conservation reserves in New South Wales 1967-1989. *Australian Zoologist*. 1990; 26:11-21.
- Williams, P.; Gibbons, D.; Margules, C.; Rebelo, A.; Humphries, C., and Pressey, R. A comparison of richness hotspots, rarity hotspots, and complementary areas for conserving diversity of British birds. *Conservation Biology*. 1996; 10(1):155-174.
- Williams, P. H. Key sites for conservation: Area-selection methods for biodiversity. Mace, G. M.; Balmford, A., and Ginsberg, J. R. *Conservation in a Changing World: Integrating Processes into Priorities for Action*. Cambridge: Cambridge University Press; in press.
- Williams, P. H.; Prance, G. T.; Humphries, C. J., and Edwards, K. S. Promise and problems in applying quantitative complementary areas for representing the diversity of some Neotropical plants (families Dichapetalaceae, Lecythidaceae, Caryocaraceae, Chrysobalanaceae, and Proteaceae). *Biological Journal of the Linnean Society*. 1996; 58:125-157.
- Williams, P. H.; Vane-Wright, R. I., and Humphries, C. J. Measuring biodiversity for choosing conservation areas. Lasalle and Gaulds. *Hymenoptera and Biodiversity*. Wallingford, UK: CAB International; 1993; pp. 309-328.
- Willis, C. K.; Lombard, A. T.; Cowling, R. M.; Heydenrych, B. J., and Burgers, C. J. Reserve systems for limestone endemic flora of the cape lowland fynbos: Iterative versus linear programming. *Biological Conservation*. 1996; 77(1):53-62.
- Witting, L. and Loeschcke, V. Biodiversity conservation: Reserve optimization or loss minimization? *Trends in Ecology & Evolution*. 1993; 8(11):417.
- Witting, L. and Loeschcke, V. The optimization of biodiversity conservation. *Biological Conservation*. 1995; 71(2):205-207.
- Wright, R. G. and Tanimoto, P. D. Using GIS to prioritize land conservation actions: Integrating factors of habitat diversity, land ownership, and development risk. *Natural Areas Journal*. 1998; 18(1):38-44.
- Yeo, M. J. M.; Blackstock, T. H., and Stevens, D. P. The use of phytosociological data in conservation assessment: a case study of lowland grasslands in mid Wales. *Biological Conservation*. 1998; 86(2):125-138.
- Zedler, J. B. Coastal mitigation in Southern California: The need for a regional restoration strategy. *Ecological Applications*. 1996; 6(1):84-93.